

Life of Light



Victoria®

Awards



National Award Winner 2010



FOSMI Award 2012



SME Award 2012



CETA Award 2011

Certificates



DGQA (NAVY)



BEE



CE



GRSE



SQCA (Govt of Bhutan)



S. E. RAILWAY



EASTERN RAILWAY



NSIC

Certified / Approved by





Victoria Lighting Pvt. Ltd. a complete lighting solution company with its manufacturing wing Gupta Infotech which has come a long way from its modest beginning in 2003.

It is easy to look over the past years with a great deal of satisfaction at what we have achieved. But looking back has never been our style. Yes, we have looked back – to do a self-introspection, to check out our strengths and build on them for the exciting journey that lies ahead.

Our success has been a result of the hard work, persistence and commitment of each and every individual who at any time in our history has been a member of our group. It is through the untiring efforts of these people that group is growing towards a better tomorrow for all.

Our adherence to a set of intrinsic core values of integrity, honesty, trust, respect and finally Sharing & Caring have been the backbone of relationships within our group - between us and our customers and, above all, our business partners.

It has always been my belief that a man is limited only by his thoughts and there are no limits to achieve whatever we desire, as long as this is done within the boundaries of reason and ethics. This means we have to give way to freedom of thought and generation of new ideas, and to be open to experiment. The possibilities in life are many.


This is what gives us the energy and drive to continue to march ahead on the road on which we started a decade back.

This is how we created and nurtured our Group – this is how we shall carry it forward into future.

Indeed, an exciting new India growth story awaits, rich with promise.

Saurabh Gupta

Saurabh Gupta
(Managing Director)



2U CFL Series




Compact Fluorescent Lamps (CFL's) – direct fit, are fluorescent sources with built-in high frequency electronic ballast. These are available in two colour appearance: Warm White & Cool Day Light.

These lamps are widely used for localized lighting as an effective replacement of incandescent lamps. They save upto 80% of electricity over conventional incandescent lamps of similar light output.



LAMP WATTAGES	ITEM	BASE CAP	ITEM CODE	LUMEN OUTPUT (Lm)	MAX. LENGTH (mm)	MAX. DIA (mm)	LAMP CURRENT (mA)	STD. PKG.
5W	T3 2U CFL - 2700K	B22	100101	235	110	44	24	1x10x5
5W	T3 2U CFL - 2700K	E27	100102	235	112	44	24	1x10x5
5W	T3 2U CFL - 2700K	E14	100103	235	110	44	24	1x10x5
5W	T3 2U CFL - 6500K	B22	100104	220	110	44	24	1x10x5
5W	T3 2U CFL - 6500K	E27	100105	220	112	44	24	1x10x5
5W	T3 2U CFL - 6500K	E14	100106	220	110	44	24	1x10x5
9W	T4 2U CFL - 2700K	B22	100201	425	136	48	38	1x10x5
9W	T4 2U CFL - 2700K	E27	100202	425	138	48	38	1x10x5
9W	T4 2U CFL - 6500K	B22	100203	400	136	48	38	1x10x5
9W	T4 2U CFL - 6500K	E27	100204	400	138	48	38	1x10x5
11W	T4 2U CFL - 2700K	B22	100205	605	145	48	53	1x10x5
11W	T4 2U CFL - 2700K	E27	100206	605	147	48	53	1x10x5
11W	T4 2U CFL - 6500K	B22	100207	580	145	48	53	1x10x5
11W	T4 2U CFL - 6500K	E27	100208	580	147	48	53	1x10x5
15W	T4 2U CFL - 2700K	B22	100209	900	170	48	72	1x10x5
15W	T4 2U CFL - 2700K	E27	100210	900	170	48	72	1x10x5
15W	T4 2U CFL - 6500K	B22	100211	850	172	48	72	1x10x5
15W	T4 2U CFL - 6500K	E27	100212	850	172	48	72	1x10x5



3U/4U CFL Series



Compact Fluorescent Lamps (CFL's) – direct fit, are fluorescent sources with built-in high frequency electronic ballast. These are available in two colour appearance: Warm White & Cool Day Light.

These lamps are widely used for localized lighting as an effective replacement of incandescent lamps. They save upto 80% of electricity over conventional incandescent lamps of similar light output.



LAMP WATTAGES	ITEM	BASE CAP	ITEM CODE	LUMEN OUTPUT (Lm)	MAX. LENGTH (mm)	MAX. DIA (mm)	LAMP CURRENT (mA)	STD. PKG.
20W	T4 3U CFL - 2700K	B22	100213	1200	160	54	97	1x10x5
20W	T4 3U CFL - 2700K	E27	100214	1200	162	54	97	1x10x5
20W	T4 3U CFL - 6500K	B22	100215	1150	160	54	97	1x10x5
20W	T4 3U CFL - 6500K	E27	100216	1150	162	54	97	1x10x5
23W	T4 3U CFL - 2700K	B22	100217	1410	165	54	110	1x10x5
23W	T4 3U CFL - 2700K	E27	100218	1410	167	54	110	1x10x5
23W	T4 3U CFL - 6500K	B22	100219	1300	165	54	110	1x10x5
23W	T4 3U CFL - 6500K	E27	100220	1300	167	54	110	1x10x5
30W	T4 4U CFL - 6500K	B22	100221	1800	173	58	210	1x25
30W	T4 4U CFL - 6500K	E27	100222	1800	175	58	210	1x25
36W	T4 4U CFL - 6500K	B22	100223	2400	216	58	240	1x25
36W	T4 4U CFL - 6500K	E27	100224	2400	218	58	240	1x25
45W	T5 4U CFL - 6500K	B22	100301	3000	240	72	180	1x12
45W	T5 4U CFL - 6500K	E27	100302	3000	242	72	180	1x12
65W	T5 4U CFL - 6500K	B22	100303	4200	288	88	250	1x12
65W	T5 4U CFL - 6500K	E27	100304	4200	290	88	250	1x12
65W	T5 4U CFL - 6500K	E40	100305	4200	308	88	250	1x12
85W	T5 4U CFL - 6500K	B22	100306	4800	330	88	280	1x12
85W	T5 4U CFL - 6500K	E27	100307	4800	332	88	280	1x12
85W	T5 4U CFL - 6500K	E40	100308	4800	350	88	280	1x12



SP CFL Series

Victoria[®]
ECOSAVER



LAMP WATTAGES	ITEM	BASE CAP	ITEM CODE	LUMEN OUTPUT (Lm)	MAX. LENGTH (mm)	MAX. DIA (mm)	LAMP CURRENT (mA)	STD. PKG.
5W	T2 SP CFL - 2700K	B22	100401	275	84	46	25	1x10x5
5W	T2 SP CFL - 2700K	E27	100402	275	86	46	25	1x10x5
5W	T2 SP CFL - 2700K	E14	100403	275	84	46	25	1x10x5
5W	T2 SP CFL - 6500K	B22	100404	250	84	46	25	1x10x5
5W	T2 SP CFL - 6500K	E27	100405	250	86	46	25	1x10x5
5W	T2 SP CFL - 6500K	E14	100406	250	84	46	25	1x10x5
9W	T2 SP CFL - 2700K	B22	100407	475	94	46	40	1x10x5
9W	T2 SP CFL - 2700K	E27	100408	475	96	46	40	1x10x5
9W	T2 SP CFL - 2700K	E14	100409	475	94	46	40	1x10x5
9W	T2 SP CFL - 6500K	B22	100410	450	94	46	40	1x10x5
9W	T2 SP CFL - 6500K	E27	100411	450	96	46	40	1x10x5
9W	T2 SP CFL - 6500K	E14	100412	450	94	46	40	1x10x5
12W	T2 SP CFL - 2700K	B22	100413	700	102	46	55	1x10x5
12W	T2 SP CFL - 2700K	E27	100414	700	104	46	55	1x10x5
12W	T2 SP CFL - 2700K	E14	100415	700	102	46	55	1x10x5
12W	T2 SP CFL - 6500K	B22	100416	650	102	46	55	1x10x5
12W	T2 SP CFL - 6500K	E27	100417	650	104	46	55	1x10x5
12W	T2 SP CFL - 6500K	E14	100418	650	102	46	55	1x10x5
15W	T2 SP CFL - 2700K	B22	100419	950	105	46	72	1x10x5
15W	T2 SP CFL - 2700K	E27	100420	950	107	46	72	1x10x5
15W	T2 SP CFL - 2700K	E14	100421	950	105	46	72	1x10x5
15W	T2 SP CFL - 6500K	B22	100422	900	105	46	72	1x10x5
15W	T2 SP CFL - 6500K	E27	100423	900	107	46	72	1x10x5
15W	T2 SP CFL - 6500K	E14	100424	900	105	46	72	1x10x5
20W	T3 SP CFL - 6500K	B22	100425	1200	145	52	100	1x10x5
20W	T3 SP CFL - 6500K	E27	100426	1200	147	52	100	1x10x5
25W	T4 SP CFL - 6500K	B22	100427	1500	160	58	235	1x10x5
25W	T4 SP CFL - 6500K	E27	100428	1500	162	58	235	1x10x5
27W	T4 SP CFL - 6500K	B22	100429	1625	175	58	210	1x25
27W	T4 SP CFL - 6500K	E27	100430	1625	175	58	210	1x25



SP CFL Series



Compact Fluorescent Lamps (CFL's) – direct fit, are fluorescent sources with built-in high frequency electronic ballast. These are available in one colour appearance: Cool Day Light.

These lamps are widely used for localized lighting as an effective replacement of incandescent lamps. They save upto 80% of electricity over conventional incandescent lamps of similar light output.



LAMP WATTAGES	ITEM	BASE CAP	ITEM CODE	LUMEN OUTPUT (Lm)	MAX. LENGTH (mm)	MAX. DIA (mm)	LAMP CURRENT (mA)	STD. PKG.
32W	T4 SP CFL - 6500K	B22	100431	2250	182	56	260	1x25
32W	T4 SP CFL - 6500K	E27	100432	2250	184	56	260	1x25
45W	T5 SP CFL - 6500K	B22	100433	3050	217	75	380	1x12
45W	T5 SP CFL - 6500K	E27	100434	3050	219	75	380	1x12
70W	T5 SP CFL - 6500K	B22	100435	4300	240	99	554	1x12
70W	T5 SP CFL - 6500K	E27	100436	4300	242	99	554	1x12
90W	T5 SP CFL - 6500K	B22	100437	5500	274	99	753	1x12
90W	T5 SP CFL - 6500K	E27	100438	5500	276	99	753	1x12



LED Decorative Lamp Series



Decorative Frosted Lamps are round / candle shaped LED (Light Emitting Diode) lamps and can be used as replacement of conventional night or decoration lamps for low level illumination and decorative purpose. They can also be used for energy saving low maintenance use in marquees and leisure parks for making garlands of light. These are available in colour appearance – White, Yellow, Green, Blue & Red.



LAMP WATTAGES	ITEM	BASE CAP	ITEM CODE	LUMEN OUTPUT (Lm)	MAX. LENGTH (mm)	MAX. DIA (mm)	LAMP CURRENT (mA)	STD. PKG.
0.5W	LED Round-White	B22	110101	8	62	41	16	25 X 4
0.5W	LED Round-Blue	B22	110102	8	62	41	16	25 X 4
0.5W	LED Round-Green	B22	110103	8	62	41	16	25 X 4
0.5W	LED Round-Yellow	B22	110104	8	62	41	16	25 X 4
0.5W	LED Round-Red	B22	110105	8	62	41	16	25 X 4
0.5W	LED Round-White	B22	110106	8	81	35	16	25 X 4
0.5W	LED Round Blue	B22	110107	8	81	35	16	25 X 4
0.5W	LED Round Green	B22	110108	8	81	35	16	25 X 4
0.5W	LED Round Yellow	B22	110109	8	81	35	16	25 X 4
0.5W	LED Round Red	B22	110110	8	81	35	16	25 X 4



LED Cristal Lamp Series

Victoria
luxtron

Cristal Bullet / Chili shaped LED (Light Emitting Diode) lamps can be used as replacement of conventional lights for decoration. These are very attractive in looks & illumination is very high. of light. These are available in two colour appearance: Warm White & Cool Day Light.

They save upto 90% of electricity over conventional incandescent lamps of similar light output.



House Hold



Hotels



Hospitals



Shops



Decoration



1.5w



3w



2w/4w

LAMP WATTAGES	ITEM	BASE CAP	ITEM CODE	LUMEN OUTPUT (Lm)	MAX. LENGTH (mm)	MAX. DIA (mm)	LAMP CURRENT (mA)	STD. PKG.
2W	LED Chilli Lamp-3000K	E14	110117	170	135	40	17	1 x 5 x 5
2W	LED Chilli Lamp-6000K	E14	110118	190	135	40	17	1 x 5 x 5
4W	LED Chilli Lamp-3000K	E14	110119	340	135	40	35	1 x 5 x 5
4W	LED Chilli Lamp-6000K	E14	110120	380	135	40	35	1 x 5 x 5
1.5W	LED Bullet Lamp-3000K	E14	110121	130	113	40	13	1 x 5 x 5
1.5W	LED Bullet Lamp-6000K	E14	110122	140	113	40	13	1 x 5 x 5
3W	LED Bullet Lamp-3000K	E14	110123	260	113	40	26	1 x 5 x 5
3W	LED Bullet Lamp-6000K	E14	110124	280	113	40	26	1 x 5 x 5



LED Spot Light Series

LED (Light Emitting Diode) Spot lamps can be used as replacement of same type conventional Light. These illumination is very high in respect of its wattage. These are available in two colour appearance: Warm White & Cool Day Light.

They save upto 90% of electricity over conventional incandescent lamps of similar light output.



LAMP WATTAGES	ITEM	BASE CAP	ITEM CODE	LUMEN OUTPUT (Lm)	MAX. LENGTH (mm)	MAX. DIA (mm)	LAMP CURRENT (mA)	STD. PKG.
3W	LED Spot Light-3000K	MR16	110125	270	56	50	26	5 x 5
3W	LED Spot Light-3000K	GU10	110126	270	55	50	26	5 x 5
3W	LED Spot Light-6000K	GU16	110127	300	55	50	26	5 x 5
3W	LED Spot Light-6000K	GU10	110128	300	55	50	26	5 x 5
5W	LED Spot Light-3000K	GU16	110129	360	56	50	43	5 x 5
5W	LED Spot Light-3000K	GU10	110130	360	55	50	43	5 x 5
5W	LED Spot Light-6000K	GU16	110131	410	56	50	43	5 x 5
5W	LED Spot Light-6000K	GU10	110132	410	55	50	43	5 x 5

LED GLS Bulb Series

Victoria
luxtron

LED (Light Emitting Diode) Retrofit conventional bulb shaped lamps, have an average service life of 25000 hours and help us convert to the energy efficient lamps easily at home as these lamps have standard base design so that they can be used as direct replacements for conventional incandescent lamps upto 75 watts. These are available in two colour appearance: Warm White & Cool Day Light.

They save upto 90% of electricity over conventional incandescent lamps of similar light output.



House Hold



Hotels



Hospitals



Shops



3w



5w



7w



9w

LAMP WATTAGES	ITEM	BASE CAP	ITEM CODE	LUMEN OUTPUT (Lm)	MAX. LENGTH (mm)	MAX. DIA (mm)	LAMP CURRENT (mA)	STD. PKG.
3W	LED GLS Bulb-3000K	B22	110101	230	104	55	26	5 X 5
3W	LED GLS Bulb-3000K	E27	110102	230	104	55	26	5 X 5
3W	LED GLS Bulb-6000K	B22	110103	240	104	55	26	5 X 5
3W	LED GLS Bulb-6000K	E27	110104	240	104	55	26	5 X 5
5W	LED GLS Bulb-3000K	B22	110105	365	104	55	43	5 X 5
5W	LED GLS Bulb-3000K	E27	110106	365	104	55	43	5 X 5
5W	LED GLS Bulb-6000K	B22	110107	400	104	55	43	5 X 5
5W	LED GLS Bulb-6000K	E27	110108	400	104	55	43	5 X 5
7W	LED GLS Bulb-3000K	B22	110109	535	118	65	61	5 X 5
7W	LED GLS Bulb-3000K	E27	110110	535	118	65	61	5 X 5
7W	LED GLS Bulb-6000K	B22	110111	560	118	65	61	5 X 5
7W	LED GLS Bulb-6000K	E27	110112	560	118	65	61	5 X 5
9W	LED GLS Bulb-3000K	B22	110113	705	118	65	78	5 X 5
9W	LED GLS Bulb-3000K	E27	110114	705	118	65	78	5 X 5
9W	LED GLS Bulb-6000K	B22	110115	720	118	65	78	5 X 5
9W	LED GLS Bulb-6000K	E27	110116	720	118	65	78	5 X 5





Marketed by

VictoriaLighting PVT. LTD.

Plot No. K-20, Behala Industrial Estate, 620, Diamond Harbour Road, Kolkata-700 034, Tel - +91 9163068000; Fax - +91 33 2380049
E-Mail: mkt@victorialighting.com, Website: www.victorialighting.com